

WAKEUP

STURDY, FUNCTIONAL, PRACTICAL



rational
PRODUCTION



WAKEUP MAIN FEATURES



STURDY

PANELS

in high thickness HPL

ALUMINIUM SHELL

high impact resistance

PERIMETER BUMPERS

(both top and bottom)
non-marking

WHEELS

heavy duty for stability
and durability

FUNCTIONAL

LARGE WORK SURFACE

extendable by using optional
supports

HIGH CAPACITY

40 trays GN 1/2 with 79 mm pitch

TRAY HOLDERS

in stainless steel suitable
to hold both trays
and Gastronorm containers

DOORS

with lock and 270° opening
angle with magnetic stopper

LINEAR DESIGN

for easy cleaning; suitable
for washing tunnels

PRACTICAL

COMPACT DESIGN

for easy handling

PUSH HANDLE

Impact resistant and ergonomic

OVERSIZED WHEELS

ø 125 mm, 2 of which are pivoting,
for easy handling

WAKEUP

OPTIONAL VARIATIONS







OPEN

The OPEN base model has a large support surface to complete the preparation of the breakfast trays.



COVER

The COVERED model is used to protect the beverage thermal containers placed on the worktop. Hygienic box with an easy lock and opening mechanism thanks to a lifting spring.



WAKEUP OPTIONAL



THERMAL CONTAINERS AND DRIP TRAY SET-UP

Kit consisting of pins for blocking thermal containers during transport and a special stainless steel drip tray to guarantee hygiene and cleanliness.



WHEEL OPTIONS

WAKEUP has a complete range of wheels: galvanized or stainless steel, 125 mm in diameter. The standard provides 4 galvanized steel wheels. A centralised brake and rotation release for the fixed wheels to allow the trolley to move sideways is also available.



TOWING HOOK

The galvanized steel swinging rod allows the handling of up to 4 trolleys connected to each other, using the appropriate towing devices



DOCUMENT HOLDER

A convenient document holder can be fitted inside the trolley door.



DOOR SEALS

Loops for attaching sealing bands.



PERIMETER PROTECTIVE FILM

An adhesive strip placed on the corners of the trolley provides additional protection from bumps and scratches.



COLOURS

WAKEUP is available in Yellow and Blue.

WAKEUP ACCESSORIES



BAG HOLDER

A steel frame to fasten the bussing bag can be fitted as an alternative to a GN 1/3 container.



TRAY


Ergonomic tray in double laminate. Washable in the dishwasher.

| SIZE | DIMENSIONS | COLORS |
|--------|--------------|--------|
| GN 1/2 | 265 x 325 mm | sand |



THERMAL CONTAINERS

A wide range of stainless steel thermal containers for the transport of beverages.



SIDE-MOUNTED SUPPORT TABLES

Highly adaptable aluminium frame for GN 1/1, GN 1/2, GN 1/3 and GN 1/6 containers.

Once removed from the trolley can be easily attached to the sides of WAKEUP to facilitate the preparation of trays.



Side-mounted support tables



Internal support tables

DATI TECNICI

| WAKEUP | | |
|--------------------|---------------------|--------------------|
| DESCRIPTION | UNIT OF MEASUREMENT | VALUE |
| Dimensions (Open) | mm | 907 x 665 x 1116 h |
| Dimensions (Cover) | mm | 907 x 665 x 1559 h |
| Wheels Diameter | mm | 125 |
| Tray Type | | GN 1/2 |
| Weight (Open) | kg | 74.5 |
| Weight (Cover) | kg | 99.5 |
| Meal Capacity | tray | 40 |
| Tray Pitch | mm | 79 |

PRODUCT DESCRIPTION

| | | |
|----------------|---|---|
| Application | Neutral trolley for meal distribution. | |
| Exterior | <p>Top cover: in HPL. Push handles: ergonomic and in an impact-proof position. Case: in high thickness anodised aluminium with impact resistant and easy to clean HPL panels. Doors: standard 2-door version with a 270° opening angle. Perimeter bumpers made of high-density polyethylene. Upper Box: anodised aluminium profiles and high thickness impact resistant and easy to clean HPL panels.</p> | |
| Interior | <p>Stainless steel tray holders. HPL chamber separation wall. Completely washable including in a washing tunnel.</p> | |
| Doors | <p>Made of a HPL panel and aluminium profile treated with high thickness anodic oxidation. 270° opening angle with magnetic door clamping system in the opened position. Door closure with key and optional loops for security seal.</p> | |
| Box (optional) | <p>Made of HPL panels and aluminium profiles treated with high thickness anodic oxidation. HPL door and aluminium profiles with gas spring easy opening. Integrated lock closure.</p> | |
| Materials | Aluminium | Shell, door profiles, upper box (optional). |
| | PE (Polietilene) | Lower and upper bumpers, centring pins for thermal container arrangement. |
| | HPL | Door panels, case panels, upper box panels. |
| | Stainless steel | Trays and drip tray holders for cup packaging (optional). |



RATIONAL PRODUCTION srl

Via L. Galvani, 7/H
24061 Albano S. Alessandro (BG) Italy
T. +39 035.452.1203
F. +39 035.452.1983
info@rationalproduction.com
www.rationalproduction.com